


**Interface®**

VIEW

LAVENDER 4169062

Composure**Interface**

<https://www.interface.com/EU/de-DE/homepage> |

Type: **Carpet | Tuft**

Composure's natural inspiration shows in the design and practical benefits. The refreshed palette takes on more colour, with both chalky pastels and poppy brights which can be used in isolation or using tonal colours together to create a transitional effect from light to dark.

mtextur ID	106426
Manufacturer	Interface
Product Line	Composure
Product Line Info	Composure's natural inspiration shows in the design and practical benefits. The refreshed palette takes on more colour, with both chalky pastels and poppy brights which can be used in isolation or using tonal colours together to create a transitional effect from light to dark.
Material Name	LAVENDER 4169062
Type	Carpet / Tuft
eBKP	G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Area of application	Inside / Floor
Delivery zones	CH / DE / AT / LI
Size of the CAD & BIM texture	Height: 500.0 mm / Width: 500.0 mm

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

max. Length / Format	Length = 500 mm / Width = 500 mm / Thickness = 6 mm
min. Format	Length = 500 mm / Width = 500 mm / Thickness = 6 mm
Weight	3.704 kg/m ²
Fire protection class	(EN ISO 9239-1) Euroclass Bfl s1 (EN 13501-1)
Sound absorption	0.2 α_w
Characteristics Info	Tufted Patterned Structured Loop Pile

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.