




Den Anfang  
macht ein guter Stein.

VIEW

## System 3.1.2

### Schwammstadt Favoriten

### Rinn Öffentlicher Raum

<https://www.rinn.net/oeffentlicher-raum.html> | [architekt@rinn.net](mailto:architekt@rinn.net)

**Type:** Stone | Eco Stone

Reihenverband

Die Steine wurden zueinander passend entwickelt, um belastbare Flächen derart zu gestalten, dass sie mit Grünbereichen unterbrochen werden oder gezielt ins Grüne auslaufen können. Die Abschnitte können vom Gestalter leicht auf die Nutzungsanforderungen zugeschnitten werden, ob geschlossen, halb offen oder offen. Je nach Belastungsart stehen zumeist Dicken in 8 oder 12 cm zur Verfügung. Die Steinreihen dieser Produktsysteme können passgenau miteinander kombiniert werden.

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mtextur ID                    | 114772                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Manufacturer                  | Rinn Öffentlicher Raum                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Manufacturer-Email            | architekt@rinn.net                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Product Line                  | Schwammstadt Favoriten                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product Line Info             | Die Steine wurden zueinander passend entwickelt, um belastbare Flächen derart zu gestalten, dass sie mit Grünbereichen unterbrochen werden oder gezielt ins Grüne auslaufen können. Die Abschnitte können vom Gestalter leicht auf die Nutzungsanforderungen zugeschnitten werden, ob geschlossen, halb offen oder offen. Je nach Belastungsart stehen zumeist Dicken in 8 oder 12 cm zur Verfügung. Die Steinreihen dieser Produktsysteme können passgenau miteinander kombiniert werden. |
| Material Name                 | System 3.1.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Type                          | Stone / Eco Stone                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Material Info                 | Reihenverband                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| eBKP                          | G 2.2 Finished floor coverings                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| IFC                           | IfcCovering / IfcSlab.Floor                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Area of application           | Outside / Floor                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Delivery zones                | CH / DE / LU                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Size of the CAD & BIM texture | Height: 2000.0 mm / Width: 1800.0 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| max. Length / Format             | Thickness = 120 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| min. Format                      | Thickness = 80 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Quality                          | KDI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| EN/DIN                           | EN 1338/1339                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Weight                           | 2450.0 kg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Slip resistance value            | R13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Freeze-thaw salt (CDF)           | <500 gr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Version                          | 2-schichtig                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Concrete thickness of the top    | 8-10 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Dimension tolerance length/width | ± 2 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Characteristics Info             | <ul style="list-style-type: none"> <li>• Hydropor KL Grünfugenplatte 40 x 20 cm   Versickerung 7.825 l/s x ha   Fugenanteil ca. 50 %   3,7 cm breite Stegkammern</li> <li>• ab Lager lieferbar in den Oberflächen/Farben nube s Cool Grey 2 und nube s Sand Grey 2</li> <li>• Hydropor Grünfugenpflaster 40 x 20 cm   Versickerung 7.360 l/s x ha   Fugenanteil ca. 12 %   3,2 cm breite Längsfuge</li> <li>• ab Lager lieferbar in den Oberflächen/Farben nube s Cool Grey 2 und nube s Sand Grey 2</li> <li>• als Auftragsfertigung ab 400 m<sup>2</sup> in den Oberflächen/Farben des nube Farbsystems</li> </ul> |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.