



VIEW

Fi/Ta A1 – RAL 3009 | Oxide red
3 > Blockholz Fi/Ta A1 | RAL colors
Pius Schuler AG

<http://www.pius-schuler.ch> | mail@pius-schuler.ch

Type: **Wood | Glued Tiber**

Sampling and confirmation of suitability by the supplier required.

mtextur ID	118974
Manufacturer	Pius Schuler AG
Manufacturer-Email	mail@pius-schuler.ch
Product Line	3 > Blockholz Fi/Ta A1 RAL colors
Material Name	Fi/Ta A1 – RAL 3009 Oxide red
Type	Wood / Glued Tiber
Material Info	Sampling and confirmation of suitability by the supplier required.
eBKP	C 2.1 External walls / C 2.2 Internal walls / C 4.1 Suspended slabs / C 4.4 Roof structure, roof slabs / F 1.2 Flat roofs / G 2.2 Finished floor coverings / G 3.2 Finished wall coverings / I 2.2 Freestanding walls
IFC	lfcCovering / lfcRoof / lfcSlab / lfcWall / lfcSlab.Floor
Area of application	Inside / Wall / Ceiling / Floor / Furniture Outside / Wall / Ceiling / Floor / Furniture
Delivery zones	CH / LI
Size of the CAD & BIM texture	Height: 2000.0 mm / Width: 2000.0 mm

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

max. Length / Format	Length = 9000 mm / Width = 3000 mm / Thickness = 220 mm
min. Format	Length = 0 mm / Width = 0 mm / Thickness = 19 mm
Weight	440.0 kg/m ³
Fire protection class	4.3
Characteristics Info	Lamda-Wert: 0,10 HINWEIS: Eine objektspezifische Bemusterung und Eignungszusage ist durch den Lieferanten notwendig.

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.