nora®
by **Interface®**

VIEW

noraplan stone/7410
noraplan stone
nora systems GmbH

https://www.nora.com/schweiz/de | info-de@nora.com

Type: Caoutchouc | Floor

Bahnenware: ~1,22 m x 15,0 m

noraplan® floor coverings are available in rolls or tiles with a great many designs and colours for virtually unlimited design potential. The product range is made up of eight different designs. The new addition, noraplan® valua, is an excellent choice where a cosy ambience is important, e.g. in patient rooms, old people's homes, but also in representative fields. This is underscored by the living quality of its linear surface structure combined with the natural properties of rubber.

mtextur ID	120445
Manufacturer	nora systems GmbH
Manufacturer-Email	info-de@nora.com
Product Line	noraplan stone
Product Line Info	noraplan® floor coverings are available in rolls or tiles with a great many designs and colours for virtually unlimited design potential. The product range is made up of eight different designs. The new addition, noraplan® valua, is an excellent choice where a cosy ambience is important, e.g. in patient rooms, old people's homes, but also in representative fields. This is underscored by the living quality of its linear surface structure combined with the natural properties of rubber.
Material Name	noraplan stone/7410
Type	Caoutchouc / Floor
Material Info	Bahnenware: ~1,22 m x 15,0 m
eBKP	G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Area of application	Inside / Floor
Delivery zones	CH / DE / LU / NL / FR / IT / AT / BE / CA / DK / US / ES / PT / GB / IE / SE / NO / LI

max. Length / Format	Length = 15000 mm / Width = 1220 mm / Thickness = 2 mm
min. Format	Length = 610 mm / Width = 610 mm / Thickness = 2 mm
Thermal Conductivity	0.61 W/mK
Characteristics Info	Rutschhemmung: R 9 (reflexbrechende Oberfläche: Rutschhemmung R10). Trittschallverbesserungsmass: 6 dB. Auch als Fliese 610 x 610 mm lieferbar, Art. 249. Ausgewählte Farben als Spezialbelag noraplan stone ed elektrostatisch ableitend oder als norplan stone acoustic trittschalldämmend, 20 dB, lieferbar.