





CUT LENGTHWISE



CUT CROSSWISE

SAGEX-Sickerplatte (Rückseite) SAGEX Eco Sickerplatte Sager AG

http://www.sager.ch/ | info@sager.ch

Type: Insulation | EPS Drainage

Rückseite / Blockgeschäumtes Polystyrol, einseitig gewellt.

Einseitig gewellte EPS-Sickerplatten für den Perimeter-Bereich.

mtextur ID	22137
Manufacturer	Sager AG
Manufacturer-Email	info@sager.ch
Product Line	SAGEX Eco Sickerplatte
Product Line Info	Einseitig gewellte EPS-Sickerplatten für den Perimeter-Bereich.
Material Name	SAGEX-Sickerplatte (Rückseite)
Туре	Insulation / EPS Drainage
Material Info	Rückseite / Blockgeschäumtes Polystyrol, einseitig gewellt.
eBKP	C 1.2 Waterproofing/insulation below ground slab
IFC	IfcCovering
Area of application	Inside / Ceiling / Floor
Delivery zones	CH/LI
Size of the CAD & BIM texture	Height: 240.0 mm / Width: 240.0 mm

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.



max. Length / Format	Length = 1010 mm / Width = 1030 mm / Thickness = 60 mm
min. Format	Length = 515 mm / Width = 2030 mm / Thickness = 60 mm
Weight	15.0 kg/m ³
Thermal Conductivity	0.038 W/mK
Fire protection class	5.1
Characteristics Info	Sickerplatte, Polystyrol, einseitig gewellt. Vorderseite mtex-ID: 22136

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.