



CREABETON

VIEW

Grey
RAINA Rasenliner
CREABETON AG

<https://creabeton.ch/> | info@creabeton.ch

Type: Stone | Eco Stone

glatt, mit Nocken

mtextur ID	65214
Manufacturer	CREABETON AG
Manufacturer-Email	info@creabeton.ch
Product Line	RAINA Rasenliner
Material Name	Grey
Type	Stone / Eco Stone
Material Info	glatt, mit Nocken
eBKP	G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Area of application	Outside / Floor
Delivery zones	CH / LI
Size of the CAD & BIM texture	Height: 1200.0 mm / Width: 1200.0 mm

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

max. Length / Format	Length = 600 mm / Width = 400 mm / Thickness = 100 mm
min. Format	Length = 300 mm / Width = 400 mm / Thickness = 100 mm
Weight	167.0 kg/m ²
Characteristics Info	Fugenteil ca. 26%. Versickerungsleistung im Neuzustand mit Fugenverfüllung Splitt+ Humus/Sandgemisch ca. 1025l/s*ha Kombinierbar für Laufwege mit Schrittplatten zu Rasengittersteinen Prod.-Nr. J5090. Mit Personenwagen befahrbar. Empfehlung: max. Steigung < 20%.

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.