




**fabromont**  
INSPIRED BY PEOPLE

VIEW

**umbragrau 214**  
**Resista & Resista COLORpunkt**  
**Fabromont AG**

<https://www.fabromont.ch> | [kundendienst@fabromont.ch](mailto:kundendienst@fabromont.ch)

**Type:** Kugelgarn- & fleece | Kugelgarn

Kugelgarn

KUGELGARN® – Eine Oberfläche zu 100% aus sphärischen Garnen selber gesponnen aus speziellen Fasermischungen, auf die Fläche dosiert und so fixiert, dass ein äusserst strapazierfähiger und optisch unverwechselbarer Belag resultiert. Komfortwert „gut“. Strapazierwert „extrem“. Die besondere Löschschicht verleiht den Kugelgarn®-Belägen eine hohe Sicherheit im Brandfall.

|                               |                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mtextur ID                    | 81150                                                                                                                                                                                                                                                                                                                                                                             |
| Manufacturer                  | Fabromont AG                                                                                                                                                                                                                                                                                                                                                                      |
| Manufacturer-Email            | kundendienst@fabromont.ch                                                                                                                                                                                                                                                                                                                                                         |
| Product Line                  | Resista & Resista COLORpunkt                                                                                                                                                                                                                                                                                                                                                      |
| Product Line Info             | KUGELGARN® – Eine Oberfläche zu 100% aus sphärischen Garnen selber gesponnen aus speziellen Fasermischungen, auf die Fläche dosiert und so fixiert, dass ein äusserst strapazierfähiger und optisch unverwechselbarer Belag resultiert. Komfortwert „gut“. Strapazierwert „extrem“. Die besondere Löschschicht verleiht den Kugelgarn®-Belägen eine hohe Sicherheit im Brandfall. |
| Material Name                 | umbragrau 214                                                                                                                                                                                                                                                                                                                                                                     |
| Type                          | Kugelgarn- & fleece / Kugelgarn                                                                                                                                                                                                                                                                                                                                                   |
| Material Info                 | Kugelgarn                                                                                                                                                                                                                                                                                                                                                                         |
| eBKP                          | G 2.2 Finished floor coverings                                                                                                                                                                                                                                                                                                                                                    |
| IFC                           | IfcCovering / IfcSlab.Floor                                                                                                                                                                                                                                                                                                                                                       |
| Area of application           | Inside / Floor                                                                                                                                                                                                                                                                                                                                                                    |
| Delivery zones                | CH / DE / LU / NL / AT / LI                                                                                                                                                                                                                                                                                                                                                       |
| Size of the CAD & BIM texture | Height: 500.0 mm / Width: 500.0 mm                                                                                                                                                                                                                                                                                                                                                |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

|                       |                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| max. Length / Format  | Length = 35000 mm / Width = 2000 mm / Thickness = 5 mm                                                                                                                                                                                                                                                                                                                                |
| Weight                | 2.0 kg/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                 |
| Fire protection class | Cfl-s1                                                                                                                                                                                                                                                                                                                                                                                |
| Characteristics Info  | Trittschallverbesserungsmass: ca. 20 dB. Gültig für Betondecken. Verlangen Sie zusätzliche Informationen, wenn eine andere Unterkonstruktion eingesetzt wird. Antistatisch < 2.0 kV ableitfähige Variante mit RD < 108 Ω. Polrohddichte 0,23 g/cm <sup>3</sup> . Wärmedurchlasswiderstand ca. 0,08 m <sup>2</sup> . K/W. Zertifikate: EPD, TÜV PROFICERT, GuT und PRODIS, Swiss Made. |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.