




VIEW

## Design «Neuronal»

### ISO-SWISS Design Panels

#### Sager AG

<http://www.sager.ch/> | [info@sager.ch](mailto:info@sager.ch)

**Type:**    **Insulation | Cemented**

Viertelversatz

Die neuen ISO-SWISS Design Panels von SAGER vereinen Akustik und Optik in raffinierter Weise und bieten neue gestalterische Möglichkeiten bei der Schall- und Akustikdämmung von Decken. Empfangsbereiche oder Sitzungsräume werden unauffällig akustisch optimiert, Restaurants oder Bars erhalten eine deutlich verbesserte Gesprächsatmosphäre bei ansprechender Optik, Büro- oder Hobbyräume werden durch eine Decke in Holzoptik wohnlicher oder in Eingangs- oder Wohnräumen kann die Sichtbetonoptik erhalten werden.

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mtextur ID                    | 98386                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Manufacturer                  | Sager AG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Manufacturer-Email            | <a href="mailto:info@sager.ch">info@sager.ch</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Product Line                  | ISO-SWISS Design Panels                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Product Line Info             | Die neuen ISO-SWISS Design Panels von SAGER vereinen Akustik und Optik in raffinierter Weise und bieten neue gestalterische Möglichkeiten bei der Schall- und Akustikdämmung von Decken. Empfangsbereiche oder Sitzungsräume werden unauffällig akustisch optimiert, Restaurants oder Bars erhalten eine deutlich verbesserte Gesprächsathmosphäre bei ansprechender Optik, Büro- oder Hobbyräume werden durch eine Decke in Holzoptik wohnlicher oder in Eingangs- oder Wohnräumen kann die Sichtbetonoptik erhalten werden. |
| Material Name                 | Design «Neuronal»                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Type                          | Insulation / Cemented                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Material Info                 | Viertelversatz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| eBKP                          | C 1.2 Waterproofing/insulation below ground slab / C 2.1 External walls                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| IFC                           | IfcCovering / IfcWall                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Area of application           | Inside / Wall / Ceiling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Delivery zones                | CH / LI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Size of the CAD & BIM texture | Height: 3000.0 mm / Width: 2400.0 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

|                      |                                                                                                                                                                                                                                                                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| max. Length / Format | Length = 1500 mm / Width = 600 mm / Thickness = 200 mm                                                                                                                                                                                                                                                                                                         |
| min. Format          | Length = 1500 mm / Width = 600 mm / Thickness = 40 mm                                                                                                                                                                                                                                                                                                          |
| Weight               | 52.0 kg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                         |
| Thermal Conductivity | 0.031 W/mK                                                                                                                                                                                                                                                                                                                                                     |
| Characteristics Info | <p>SAGLAN Glaswolle Dämmplatte, einseitig und kantenumschliessend mit einem bedruckten Glasgewebe kaschiert. Für gestalterisch anspruchsvolle Deckendämmung in der Innenarchitektur. Montage direkt auf den Untergrund von unten.</p> <p>Dicken: ab 40 – 200 mm</p> <p>Designs: Neuronal, Wood, Beton</p> <p>Individuelle Designs sind möglich auf Anfrage</p> |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.