



VIEW

10 P.10 Prefaweiss

SIDING 400

PREFA

<http://www.prefa.ch/de/> | office.ch@prefa.com

Type: Metal | Facade

Ohne Schattenfuge

Waagerecht, senkrecht, schräg: Mit den PREFA Sidings darf bei der Fassaden-Planung in alle Richtungen gedacht werden.

mtextur ID	118167
Manufacturer	PREFA
Manufacturer-Email	office.ch@prefa.com
Product Line	SIDING 400
Product Line Info	Waagrecht, senkrecht, schräg: Mit den PREFA Sidings darf bei der Fassaden-Planung in alle Richtungen gedacht werden.
Material Name	10 P.10 Prefaweiss
Type	Metal / Facade
Material Info	Ohne Schattenfuge
eBKP	E 2.3 Facade cladding / E 2.4 Facade systems
IFC	IfcCovering / IfcCurtainWall
Area of application	Outside / Wall / Facade
Delivery zones	CH / DE / LU / NL / FR / IT / AT / BE / DK / US / GB / SE / NO / LI
Size of the CAD & BIM texture	Height: 1200.0 mm / Width: 1584.0 mm

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

Weight	4.32 kg/m ²
Characteristics Info	<p>PREFA Alu-Fassaden-Sidings sind Fassadenelemente. Sie sind in den Bereich vorgehängte, hinterlüftete Fassade einzuordnen. PREFA Sidings können vielfältig im Aussen- und im Innenbereich für Wand- und Deckenbekleidungen verwendet werden. Dabei garantiert die verdeckte Befestigung mittels eines Nut- und Federsystems eine ansprechende Optik. Mit PREFA Sidings lassen sich Gebäude-Fassaden clever verschönern, erhalten und für Jahrzehnte modernisieren.</p>

Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.